

Soils Map



Soils data provided by USDA and NRCS.



State: **Minnesota**
County: **Pipestone**
Location: **11-108N-45W**
Township: **Fountain Prairie**
Acres: **144.1**
Date: **11/9/2026**

Maps Provided By:
surety® CUSTOMIZED ONLINE MAPPING
© AgriData, Inc. 2025 www.AgriDataInc.com

Area Symbol: MN117, Soil Area Version: 25						
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Productivity Index
J74A	Estelline silt loam, coteau, 0 to 2 percent slopes	65.67	45.6%		IIs	75
J90B	Kranzburg-Brookings silty clay loams, 1 to 6 percent slopes	17.36	12.0%		IIe	93
J85A	Trosky silty clay loam, 0 to 2 percent slopes	15.65	10.9%		IIw	83
J74B	Estelline silt loam, coteau, 2 to 6 percent slopes	14.12	9.8%		IIe	70
J71A	Brookings silty clay loam, 0 to 2 percent slopes	9.53	6.6%		Iw	98
J96B	Barnes, occasional saturation-Buse complex, 3 to 6 percent slopes	6.16	4.3%		IIe	88
J72B	Renshaw-Sandberg complex, 2 to 6 percent slopes	3.50	2.4%		IIIe	48
J25A	Rauville silty clay loam, 0 to 1 percent slopes, frequently flooded	2.75	1.9%		VIw	20
J93A	Hidewood-Badger complex, 0 to 2 percent slopes	2.14	1.5%		IIw	92
J99A	Lakepark clay loam, 0 to 3 percent slopes, overwash	1.99	1.4%		IIw	98
J100D2	Buse, eroded-Wilno complex, 12 to 18 percent slopes	1.93	1.3%		IVe	64
J79B	Vienna-Brookings complex, 1 to 6 percent slopes	1.50	1.0%		IIe	94
J69A	Athelwold silty clay loam, 0 to 2 percent slopes	1.32	0.9%		Is	80
J75B	Renshaw-Fordville loams, coteau, 2 to 6 percent slopes	0.38	0.3%		IVs	56
J26B	Darnen loam, 2 to 6 percent slopes	0.10	0.1%		IIe	99
				Weighted Average	**2.06**	**78.6**

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.